

### Background

To study first order differential equations

$$\frac{dy}{dx} = f(x, y)$$

and their solutions qualitatively, we can use the graphical *slope field* associated to the equation. Recall, the slope field is a picture obtained by placing at each point  $(x_0, y_0)$  in the plane a small line segment of slope equal to the number  $f(x_0, y_0)$ . As we will see, Maple draws these as *arrows*. A solution of the differential equation is then a function  $y(x)$  whose graph has slope equal to  $f(x, y(x))$  at each point  $(x, y(x))$  on the graph. That is, the graph “*matches the slope field*” so that at each point, its tangent line has the same slope as the slope field arrow at that point.

Today, we will draw some additional slope fields, and use them to visualize solutions.

#### 1. Slope Fields in Maple

To plot slope fields for differential equations in Maple, you need to begin by entering

```
with(DEtools);
```

once at the start of the session. Note the capitalization, which is necessary; DE stands for *Differential Equation*, as you might guess. This command loads an external package of additional Maple commands for working with differential equations. You need to do that to make the `DEplot` command available – the main operation we will be using today. The output will be a list of the commands in the `DEtools` package.

To plot the slope field for an equation

$$\frac{dy}{dx} = f(x, y)$$

you can enter a command of the following format:

```
DEplot(diff(y(x),x)=f(x,y(x)),y(x),x=a..b,y=c..d);
```

where:

- the `f` is the expression for the slope function  $f(x, y)$ . You enter that in usual Maple format (or use a symbolic name for the expression).
- The dependent variable (unknown function) in the differential equation may be entered in the form `y(x)` everywhere. For example, to plot the slope field for the equation  $\frac{dy}{dx} = \frac{7x-y}{x+2y}$ , you can enter a command like

```
DEplot(diff(y(x),x) = (7*x-y(x))/(x+2*y(x)),y(x),x=-2..2,y=-2..2);
```

- the ranges of  $x$ - and  $y$ -values indicate the portion of the plane that will be *plotted* with the slope field. A standard number of grid points is used.

### Lab Questions, Part I

For each of the following of the following differential equations, generate a plot of the slope field on the given region of the plane. By eye, analyze the behavior of the solution passing through the given points  $(x_0, y_0)$  – that is the solution of the differential equation and the initial condition  $y(x_0) = y_0$ . What do think the graph does as  $x \rightarrow +\infty$ ?

A)

Differential equation:  $\frac{dy}{dx} = 4xy$ ,  
 Region:  $-3 \leq x \leq 3, -3 \leq y \leq 3$ ,  
 Initial point:  $(0, 1)$

B)

Differential equation:  $\frac{dy}{dx} = y(y - 1)(y - 2)$ ,  
 Region:  $-3 \leq x \leq 3, -1 \leq y \leq 3$ ,  
 Initial points:  $(0, 0), (0, 0.5), (0, 1.5), (0, 2.01)$ .

C)

Differential equation:  $\frac{dy}{dx} = \exp(-x^2 + y)$ ,  
 Region:  $-3 \leq x \leq 3, -10 \leq y \leq 10$ ,  
 Initial point:  $(-3, -1)$ .

### Plotting Solutions in Maple

To plot solutions of a differential equation, together with the slope field, we can use the same `DEplot` command above, but with different options. For example, to plot the solution of the equation  $\frac{dy}{dx} = 4xy$  with  $y(0) = .5$ , for  $0 \leq x \leq 1$ , you would enter a command like

```
DEplot(diff(y(x),x) = 4*x*y(x), y(x), x=0..1, [[y(0)=.5]], linecolor=black);
```

If you want to see several solution curves, you can place a *list* of initial conditions, separated by commas, in the `[]` brackets after the  $x = 0..1$ . For instance to see solution curves with  $y(0) = .5$  and  $y = 1$  on the same axes, change to `[[y(0) = .5], [y(0) = 1]]`. Note: The default color for the solution curve is a shade of gold that does not show up when you print a worksheet on a black and white printer(!). Hence we use the option `linecolor=black`. The general format is:

- the differential equation will always come first,
- then the dependent variable or unknown function  $y(x)$
- then *the range of  $x$ -values for which you want to see the graph of the solution*.
- then, in square brackets, separated by commas, a list of initial conditions `[y(a)=b]`. In the example above, there's just one, but any number can be included.

## Lab Questions, Part II

- D) For each of the differential equations in questions A,B,C above, generate a single plot showing the slope field and the solution(s) starting at the given point(s). Did those solutions look like what you expected?
- E) In question A, the differential equation is one that we can solve by the method of separation of variables we discussed last Friday. Find a formula for the solution with  $y(0) = 1$ , and plot that to “check Maple’s” work. (Note: Just as not all simple functions have elementary antiderivatives, not all differential equations have elementary solutions. So this approach might not always be possible.)
- F) For equation C, experiment with different initial conditions  $y(-3) = y_0$ . What is the “cut-off” value for  $y_0$  between solutions that tend to a finite value as  $x \rightarrow \infty$  and those that grow without any bound?

NOTE: In all questions here, some care may be needed to get reasonable graphs. As you will see, some of these solutions grow extremely fast and you may get nonsense output or an error message when that happens. One possible solution is to *put in a range of  $y$ -values after the initial conditions in the DEplot command* if you suspect that there’s a problem. The graphing terminates when the solution curve leaves the window you defined. Try a restriction like  $y = -10..10$ .

### Assignment

Writeups due in class on Monday, May 2.